

University of Groningen

Local neighbourhood tree species composition effects in young forest stands

Dillen, Mathias

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2017

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Dillen, M. (2017). *Local neighbourhood tree species composition effects in young forest stands: Impact of stress, species identity and multitrophic interactions*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Abrahamson, L.P., Volk, T.A., Smart, L.B., White, E.H., 2012. Short-Rotation Willow for Bioenergy, Bioproducts, Agroforestry and Phytoremediation in the Northeastern United States: Summary Report.
- Adams, J.M., Woodward, F.I., 1989. Patterns in tree species richness as a test of the glacial extinction hypothesis. *Nature* 339, 699–701.
- Adler, P.B., Seabloom, E.W., Borer, E.T., Hillebrand, H., Hautier, Y., Hector, A., Harpole, W.S., O'Halloran, L.R., Grace, J.B., Anderson, T.M., Bakker, J.D., Biederman, L.A., Brown, C.S., Buckley, Y.M., Calabrese, L.B., Chu, C.-J., Cleland, E.E., Collins, S.L., Cottingham, K.L., Crawley, M.J., Damschen, E.I., Davies, K.F., DeCrappeo, N.M., Fay, P.A., Firn, J., Frater, P., Gasarch, E.I., Gruner, D.S., Hagenah, N., Hille Ris Lambers, J., Humphries, H., Jin, V.L., Kay, A.D., Kirkman, K.P., Klein, J.A., Knops, J.M.H., La Pierre, K.J., Lambrinos, J.G., Li, W., MacDougall, A.S., McCulley, R.L., Melbourne, B.A., Mitchell, C.E., Moore, J.L., Morgan, J.W., Mortensen, B., Orrock, J.L., Prober, S.M., Pyke, D.A., Risch, A.C., Schuetz, M., Smith, M.D., Stevens, C.J., Sullivan, L.L., Wang, G., Wragg, P.D., Wright, J.P., Yang, L.H., 2011. Productivity is a poor predictor of plant species richness. *Science* (80-.). 333, 1750–1753. doi:10.1126/science.1214786
- Aimar, D., Calafat, M., Andrade, a M., 2011. Drought Tolerance and Stress Hormones : From Model Organisms to Forage Crops. *Plants Environ.* 272. doi:10.5772/1958
- Arevalo, C., Volk, T., Bevilacqua, E., Abrahamson, L., 2007. Development and validation of aboveground biomass estimations for four *Salix* clones in central New York. *Biomass and Bioenergy* 31, 1–12. doi:10.1016/j.biombioe.2006.06.012
- Baeten, L., Verheyen, K., Wirth, C., Bruelheide, H., Bussotti, F., Finér, L., Jaroszewicz, B., Selvi, F., Valladares, F., Allan, E., Ampoorter, E., Auge, H., Avacariei, D., Barbaro, L., Barnoaiea, I., Bastias, C.C., Bauhus, J., Beinhoff, C., Benavides, R., Benneter, A., Berger, S., Berthold, F., Boberg, J., Bonal, D., Brüggemann, W., Carnol, M., Castagneyrol, B., Charbonnier, Y., Checko, E., Coomes, D., Coppi, A., Dalmaris, E., Danila, G., Dawud, S.M., de Vries, W., De Wandeler, H., Deconchat, M., Domisch, T., Duduman, G., Fischer, M., Fotelli, M., Gessler, A., Gimeno, T.E., Granier, A., Grossiord, C., Guyot, V., Hantsch, L., Hättenschwiler, S., Hector, A., Hermy, M., Holland, V., Jactel, H., Joly, F.X., Jucker, T., Kolb, S., Koricheva, J., Lexer, M.J., Liebergesell, M., Milligan, H., Müller, S., Muys, B., Nguyen, D., Nichiforel, L., Pollastrini, M., Proulx, R., Rabasa, S., Radoglou, K., Ratcliffe, S., Raulund-Rasmussen, K., Seiferling, I., Stenlid, J., Vesterdal, L., von Wilpert, K., Zavala, M.A., Zielinski, D., Scherer-Lorenzen, M., 2013. A novel comparative research platform designed to determine the functional significance of tree species diversity in European forests. *Perspect. Plant Ecol. Evol. Syst.* 15, 281–291. doi:10.1016/j.ppees.2013.07.002
- Bagchi, R., Swinfield, T., Gallery, R.E., Lewis, O.T., Gripenberg, S., Narayan, L., Freckleton, R.P., 2010. Testing the Janzen-Connell mechanism: Pathogens cause overcompensating density dependence in a tropical tree. *Ecol. Lett.* 13, 1262–1269. doi:10.1111/j.1461-0248.2010.01520.x
- Barnosky, A.D., Matzke, N., Tomiya, S., Wogan, G.O.U., Swartz, B., Quental, T.B., Marshall, C., McGuire, J.L., Lindsey, E.L., Maguire, K.C., Mersey, B., Ferrer, E. a, 2011. Has the Earth's

- sixth mass extinction already arrived? *Nature* 471, 51–57. doi:10.1038/nature09678
- Barton, K., 2016. MuMIn: Multi-Model Inference. R package version 1.15.6.
- Barton, K.E., Hanley, M.E., 2013. Seedling-herbivore interactions: Insights into plant defence and regeneration patterns. *Ann. Bot.* 112, 643–650. doi:10.1093/aob/mct139
- Bates, D., Maechler, M., Bolker, B., Walker, S., 2015. Fitting Linear Mixed-Effects Models Using lme4. *J. Stat. Softw.* 67, 1–48. doi:10.18637/jss.v067.i01
- Baudry, O., Charmetant, C., Collet, C., Ponette, Q., 2014. Estimating light climate in forest with the convex densiometer: Operator effect, geometry and relation to diffuse light. *Eur. J. For. Res.* 133, 101–110. doi:10.1007/s10342-013-0746-6
- Baum, C., Leinweber, P., Weih, M., Lamersdorf, N., Dimitriou, I., 2009. Effects of short rotation coppice with willows and poplar on soil ecology. *Agric. For. Res.* 3, 183–196.
- Bert, D., Lasnier, J.-B., Capdevielle, X., Dugravot, A., Desprez-Loustau, M.-L., 2016. Powdery Mildew Decreases the Radial Growth of Oak Trees with Cumulative and Delayed Effects over Years. *PLoS One* 11, 19. doi:10.1371/journal.pone.0155344
- Bertness, M.D., Callaway, R., 1994. Positive interactions in communities. *Trends Ecol. Evol.* 9, 191–3. doi:10.1016/0169-5347(94)90088-4
- Bock, C.H., Graham, J.H., Gottwald, T.R., Cook, A.Z., Parker, P.E., 2010. Wind Speed Effects on the Quantity of *Xanthomonas citri* subsp. *citri* Dispersed Downwind from Canopies of Grapefruit Trees Infected with Citrus Canker. *Plant Dis.* 94, 725–736. doi:10.1094/PDIS-94-6-0725
- Bommarco, R., Kleijn, D., Potts, S.G., 2013. Ecological intensification: Harnessing ecosystem services for food security. *Trends Ecol. Evol.* 28, 230–238. doi:10.1016/j.tree.2012.10.012
- Broeckx, L.S., Verlinden, M.S., Ceulemans, R., 2012. Establishment and two-year growth of a bio-energy plantation with fast-growing *Populus* trees in Flanders (Belgium): Effects of genotype and former land use. *Biomass and Bioenergy* 42, 151–163. doi:10.1016/j.biombioe.2012.03.005
- Brooker, R., Kikvidze, Z., Pugnaire, F.I., Callaway, R.M., Choler, P., Lortie, C.J., Michalet, R., 2005. The importance of importance. *Oikos* 109, 63–70. doi:10.1111/j.0030-1299.2005.13557.x
- Bruckner, T., Bashmakov, I.A., Mulugetta, Y., Chum, H., de la Vega Navarro, A., Edmonds, J., Faaij, A., Fungtammasan, B., Garg, A., Hertwich, E., Honnery, D., Infield, D., Kainuma, M., Khennas, S., Kim, S., Nimir, H.B., Riahi, K., Strachan, N., Wiser, R., Zhang, X., 2014. Energy Systems, in: Edenhofer, O., Pichs-Madruga, R., Sokona, Y., Farahani, E., Kadner, S., Seyboth, K., Adler, A., Baum, I., Brunner, S., Eickemeier, P., Kriemann, B., Savolainen, J., Schlömer, S., Stechow, C. von, Zwickel, T., Minx, J.C. (Eds.), *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA., p. 139.
- Bruno, J.F., Stachowicz, J.J., Bertness, M.D., 2003. Inclusion of facilitation into ecological theory. *Trends Ecol. Evol.* 18, 119–125. doi:10.1016/S0169-5347(02)00045-9

- Bulleri, F., Cristaudo, C., Alestra, T., Benedetti-Cecchi, L., 2011. Crossing gradients of consumer pressure and physical stress on shallow rocky reefs: a test of the stress-gradient hypothesis. *J. Ecol.* 99, 335–344. doi:10.1111/j.1365-2745.2010.01750.x
- Butterfield, B.J., Bradford, J.B., Armas, C., Prieto, I., Pugnaire, F.I., 2015. Does the stress-gradient hypothesis hold water? Disentangling spatial and temporal variation in plant effects on soil moisture in dryland systems. *Funct. Ecol.* 30, 10–19. doi:10.1111/1365-2435.12592
- Buyse, M., 2015. Biologische controle van eikenmeeldauw door lieveheersbeestjes en interacties met droogtestress. MSc Thesis. Ghent University.
- Callaway, R., Brooker, R., Choler, P., 2002. Positive interactions among alpine plants increase with stress. *Nature* 417, 844–848. doi:10.1038/nature00805.1.
- Callaway, R.M., 2007. Positive Interactions and Interdependence in Plant Communities. Springer Netherlands, Dordrecht. doi:10.1007/978-1-4020-6224-7
- Campioli, M., Vincke, C., Jonard, M., Kint, V., Demarée, G., Ponette, Q., 2012. Current status and predicted impact of climate change on forest production and biogeochemistry in the temperate oceanic European zone: Review and prospects for Belgium as a case study. *J. For. Res.* 17, 1–18. doi:10.1007/s10310-011-0255-8
- Cardinale, B.J., Duffy, J.E., Gonzalez, A., Hooper, D.U., Perrings, C., Venail, P., Narwani, A., Mace, G.M., Tilman, D., Wardle, D. a, Kinzig, A.P., Daily, G.C., Loreau, M., Grace, J.B., Larigauderie, A., Srivastava, D.S., Naeem, S., 2012. Biodiversity loss and its impact on humanity. *Nature* 486, 59–67. doi:10.1038/nature11148
- Cardinale, B.J., Wright, J.P., Cadotte, M.W., Carroll, I.T., Hector, A., Srivastava, D.S., Loreau, M., Weis, J.J., 2007. Impacts of plant diversity on biomass production increase through time because of species complementarity. *Proc. Natl. Acad. Sci. U. S. A.* 104, 18123–8. doi:10.1073/pnas.0709069104
- Carnol, M., Baeten, L., Branquart, E., Grégoire, J.C., Heughebaert, A., Muys, B., Ponette, Q., Verheyen, K., 2014. Ecosystem services of mixed species forest stands and monocultures: Comparing practitioners and scientists perceptions with formal scientific knowledge. *Forestry* 87, 639–653. doi:10.1093/forestry/cpu024
- Caslin, B., Finnan, J., McCracken, A., 2012. Willow Varietal Identification Guide. Teagasc & AFBI.
- Caslin, B., Finnan, J., McCracken, A., 2010. Short Rotation Coppice Willow Best Practice Guidelines.
- Caspersen, J.P., Pacala, S.W., 2001. Successional diversity and forest ecosystem function. *Ecol. Res.* 16, 895–903. doi:10.1046/j.1440-1703.2001.00455.x
- Castagneyrol, B., Giffard, B., Péré, C., Jactel, H., 2013. Plant apparency, an overlooked driver of associational resistance to insect herbivory. *J. Ecol.* 101, 418–429. doi:10.1111/1365-2745.12055
- Castagneyrol, B., Jactel, H., Cardinale, B.J., 2012. Unraveling plant-animal diversity relationships: A meta-regression analysis. *Ecology* 93, 2115–2124. doi:10.1890/11-1300.1

- Ceballos, G., Ehrlich, P.R., Barnosky, A.D., García, A., Pringle, R.M., Palmer, T.M., 2015. Accelerated modern human – induced species losses: entering the sixth mass extinction. *Sci. Adv.* 1, 1–5. doi:10.1126/sciadv.1400253
- Cheatham, M.R., Rouse, M.N., Esker, P.D., Ignacio, S., Pradel, W., Raymundo, R., Sparks, A.H., Forbes, G., Gordon, T.R., Garrett, K.A., 2009. Beyond Yield: Plant Disease in the Context of Ecosystem Services. *Phytopathology* 99, 1228–1236.
- Civitello, D.J., Cohen, J., Fatima, H., Halstead, N.T., Liriano, J., McMahon, T.A., Ortega, C.N., Sauer, E.L., Sehgal, T., Young, S., Rohr, J.R., 2015a. Biodiversity inhibits parasites: Broad evidence for the dilution effect. *Pnas* 112, 8667–8671. doi:10.1073/pnas.1506279112
- Civitello, D.J., Cohen, J., Fatima, H., Halstead, N.T., McMahon, T.A., Ortega, C.N., Sauer, E.L., Young, S., Rohr, J.R., 2015b. Reply to Salkeld et al.: Diversity-disease patterns are robust to study design, selection criteria, and publication bias. *Proc. Natl. Acad. Sci.* 112, 201518473. doi:10.1073/pnas.1518473112
- Copolovici, L., Bodescu, A., Pag, A., Kännaste, A., Tomescu, D., Niinemets, Ü., 2015. Volatile Organic Compound emissions and photosynthetic parameters of *Quercus rubra* under temperature stresses. *Sci. Pap. Ser. E. L. Reclamation, Earth Obs. Surv. Environ. Eng.* IV, 2010–2013.
- Copolovici, L., Väärtnõu, F., Estrada, M.P., Niinemets, Ü., 2014. Oak powdery mildew (*Erysiphe alphitoides*)-induced volatile emissions scale with the degree of infection in *Quercus robur*. *Tree Physiol.* 34, 1399–1410. doi:10.1093/treephys/tpu091
- Culik, M.P., Ventura, J.A., de Almeida, L.M., Corrêa, G.H., 2011. Feeding by the coccinellid *Psyllobora rufosignata* (Coleoptera: Coccinellidae) on the Asian grapevine leaf rust fungus *Phakopsora euvitis* (Basidiomycota: Uredinales). *Biocontrol Sci. Technol.* 21, 235–238. doi:10.1080/09583157.2010.538668
- Dai, A., Trenberth, K.E., Qian, T., 2004. A Global Dataset of Palmer Drought Severity Index for 1870–2002: Relationship with Soil Moisture and Effects of Surface Warming. *J. Hydrometeorol.* 5, 1117–1130. doi:10.1175/JHM-386.1
- Davari, M.R., Ram, M., Tewari, J.C., Kaushish, S., 2010. Impact of agricultural practice on ecosystem services. *Int. J. Agron. Plant Prod.* 1, 11–23.
- Davidson, W.M., 1921. Observations on *Psyllobora taedata* LeConte, a Coccinellid Attacking Mildews (Col.). *Proc. Entomol. Sect.* XXXII, 83–89.
- Davies, W.P., 2003. An historical perspective from the Green Revolution to the gene revolution. *Nutr. Rev.* 61, S124–S134. doi:10.1301/nr.2003.jun.S124-S134
- Davis, M.A., Grime, J.P., Thompson, K., Davis, A., Philip, J., 2000. Fluctuating resources in plant communities: a general theory of invasibility. *J. Ecol.* 88, 528–534. doi:10.1046/j.1365-2745.2000.00473.x
- de Almeida, L.M., Milléo, J., 1998. The Immature Stages of *Psyllobora gratiosa* Mader, 1958 (Coleoptera: Coccinellidae) with Some Biological Aspects. *J. New York Entomol. Soc.* 106, 170–176.
- De Laender, F., Rohr, J.R., Ashauer, R., Baird, D.J., Berger, U., Eisenhauer, N., Grimm, V.,

- Hommen, U., Maltby, L., Meliàn, C.J., Pomati, F., Roessink, I., Radchuk, V., Van den Brink, P.J., 2016. Reintroducing Environmental Change Drivers in Biodiversity-Ecosystem Functioning Research. *Trends Ecol. Evol.* 31, 905–915. doi:10.1016/j.tree.2016.09.007
- Diaz, S., Lavorel, S., de Bello, F., Quetier, F., Grigulis, K., Robson, T.M., 2007. Incorporating plant functional diversity effects in ecosystem service assessments. *Proc Natl Acad Sci U S A* 104, 20684–20689. doi:10.1073/pnas.0704716104
- Dillen, M., Verheyen, K., Smit, C., 2016. Identity rather than richness drives neighbourhood species composition effects on sapling growth in a young forest. *For. Ecol. Manage.* 380, 274–284. doi:10.1016/j.foreco.2016.09.004
- Dimitriou, I., Baum, C., Baum, S., Busch, G., Schulz, U., Köhn, J., Lamersdorf, N., Leinweber, P., Aronsson, P., Weih, M., Berndes, G., Bolte, A., 2011. Quantifying environmental effects of Short Rotation Coppice (SRC) on biodiversity , soil and water.
- Divon, H.H., Fluhr, R., 2007. Nutrition acquisition strategies during fungal infection of plants. *FEMS Microbiol. Lett.* 266, 65–74. doi:10.1111/j.1574-6968.2006.00504.x
- Domisch, T., Finér, L., Dawud, S.M., Vesterdal, L., Raulund-Rasmussen, K., 2015. Does species richness affect fine root biomass and production in young forest plantations? *Oecologia* 177, 581–594. doi:10.1007/s00442-014-3107-3
- Edwards, M.C., Ayres, P.G., 1982. Seasonal changes in resistance of *Quercus petraea* (sessile oak) leaves to *Microsphaera alphitoides*. *Trans. Br. Mycol. Soc.* 78, 569–571. doi:10.1016/S0007-1536(82)80174-5
- Eisenhauer, N., Barnes, A.D., Cesarz, S., Craven, D., Ferlian, O., Gottschall, F., Hines, J., Sendek, A., Siebert, J., Thakur, M.P., Türke, M., Palmer, M., 2016. Biodiversity-ecosystem function experiments reveal the mechanisms underlying the consequences of biodiversity change in real world ecosystems. *J. Veg. Sci.* 27, 1061–1070. doi:10.1111/jvs.12435
- Ellis, E.C., 2015. Ecology in an anthropogenic biosphere. *Ecol. Monogr.* 85, 287–331. doi:10.1890/14-2274.1
- Ellis, E.C., Klein Goldewijk, K., Siebert, S., Lightman, D., Ramankutty, N., 2010. Anthropogenic transformation of the biomes, 1700 to 2000. *Glob. Ecol. Biogeogr.* 19, no-no. doi:10.1111/j.1466-8238.2010.00540.x
- Eränen, J., Kozlov, M., 2008. Increasing intraspecific facilitation in exposed environments: consistent results from mountain birch populations in two subarctic stress gradients. *Oikos* 1569–1577. doi:10.1111/j.2008.0030-1299.16772.x
- Fargione, J., Tilman, D., Dybzinski, R., HilleRisLambers, J., Clark, C., Harpole, W.S., Knops, J.M.H., Reich, P.B., Loreau, M., 2007. From selection to complementarity: shifts in the causes of biodiversity-productivity relationships in a long-term biodiversity experiment. *Proc. R. Soc. B-Biological Sci.* 274, 871–876. doi:10.1098/rspb.2006.0351
- Feau, N., Lauron-Moreau, A., Piou, D., Marçais, B., Dutech, C., Desprez-Loustau, M.L., 2012. Niche partitioning of the genetic lineages of the oak powdery mildew complex. *Fungal Ecol.* 5, 154–162. doi:10.1016/j.funeco.2011.12.003
- Felton, A., Nilsson, U., Sonesson, J., Felton, A.M., Roberge, J.M., Ranius, T., Ahlström, M.,

- Bergh, J., Björkman, C., Boberg, J., Drössler, L., Fahlvik, N., Gong, P., Holmström, E., Keskitalo, E.C.H., Klapwijk, M.J., Laudon, H., Lundmark, T., Niklasson, M., Nordin, A., Pettersson, M., Stenlid, J., Sténs, A., Wallertz, K., 2016. Replacing monocultures with mixed-species stands: Ecosystem service implications of two production forest alternatives in Sweden. *Ambio* 45, 124–139. doi:10.1007/s13280-015-0749-2
- Firn, J., Erskine, P.D., Lamb, D., 2007. Woody species diversity influences productivity and soil nutrient availability in tropical plantations. *Oecologia* 154, 521–33. doi:10.1007/s00442-007-0850-8
- Flombaum, P., Sala, O.E., 2008. Higher effect of plant species diversity on productivity in natural than artificial ecosystems. *Proc. Natl. Acad. Sci. U. S. A.* 105, 6087–90. doi:10.1073/pnas.0704801105
- Foley, J.A., Ramankutty, N., Brauman, K.A., Cassidy, E.S., Gerber, J.S., Johnston, M., Mueller, N.D., O'Connell, C., Ray, D.K., West, P.C., Balzer, C., Bennett, E.M., Carpenter, S.R., Hill, J., Monfreda, C., Polasky, S., Rockström, J., Sheehan, J., Siebert, S., Tilman, D., Zaks, D.P.M., O'Connell, C., 2011. Solutions for a cultivated planet. *Nature* 478, 337–42. doi:10.1038/nature10452
- FOREST EUROPE, 2015. State of Europe's Forests 2015.
- Forey, E., Langlois, E., Lapa, G., Korboulewsky, N., Robson, T.M., Aubert, M., 2016. Tree species richness induces strong intraspecific variability of beech (*Fagus sylvatica*) leaf traits and alleviates edaphic stress. *Eur. J. For. Res.* 135, 707–717. doi:10.1007/s10342-016-0966-7
- Forrester, D.I., Bauhus, J., 2016. A review of processes behind diversity—productivity relationships in forests. *Curr. For. Reports* 2, 45–61. doi:10.1007/s40725-016-0031-2
- Forrester, D.I., Bauhus, J., Cowie, A.L., Vanclay, J.K., 2006. Mixed-species plantations of Eucalyptus with nitrogen-fixing trees: A review. *For. Ecol. Manage.* 233, 211–230. doi:10.1016/j.foreco.2006.05.012
- Forrester, D.I., Pretzsch, H., 2015. Tamm Review: On the strength of evidence when comparing ecosystem functions of mixtures with monocultures. *For. Ecol. Manage.* 356, 41–53. doi:10.1016/j.foreco.2015.08.016
- Fox, T.R., Jokela, E.J., Allen, H.L., 2004. Pine Plantation Silviculture, in: Gen. Tech. Rep. SRS–75. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. pp. 63–82.
- Fraser, L.H., Pither, J., Jentsch, A., Sternberg, M., Zobel, M., Askarizadeh, D., Bartha, S., Beierkuhnlein, C., Bennett, J.A., 2015. Worldwide evidence of a unimodal relationship between productivity and plant species richness. *Science* (80-.). 349, 302–306. doi:10.1126/science.aab3916
- Gadoury, D.M., Seem, R.C., Ficke, A., Wilcox, W.F., 2003. Ontogenic resistance to powdery mildew in grape berries. *Phytopathology* 93, 547–555. doi:10.1094/PHYTO.2003.93.5.547
- Gamfeldt, L., Snäll, T., Bagchi, R., Jonsson, M., Gustafsson, L., Kjellander, P., Ruiz-Jaen, M.C., Fröberg, M., Stendahl, J., Philipson, C.D., Mikusiński, G., Andersson, E., Westerlund, B., Andrén, H., Moberg, F., Moen, J., Bengtsson, J., 2013. Higher levels of multiple ecosystem

- services are found in forests with more tree species. *Nat. Commun.* 4, 1340. doi:10.1038/ncomms2328
- Gemmel, P., Nilsson, U., Welander, T., 1996. Development of oak and beech seedlings planted under varying shelterwood densities and with different site preparation methods in southern Sweden. *New For.* 12, 141–161.
- Giorgi, J.A., Vandenberg, N.J., McHugh, J. V., Forrester, J.A., Ślipiński, S.A., Miller, K.B., Shapiro, L.R., Whiting, M.F., 2009. The evolution of food preferences in Coccinellidae. *Biol. Control* 51, 215–231. doi:10.1016/j.biocontrol.2009.05.019
- Glawe, D.A., 2008. The Powdery Mildews: A Review of the World's Most Familiar (Yet Poorly Known) Plant Pathogens. *Annu. Rev. Phytopathol.* 46, 27–51. doi:10.1146/annurev.phyto.46.081407.104740
- Grime, J.P., 1998. Benefits of plant diversity to ecosystems: immediate, filter and founder effects. *J. Ecol.* 86, 902–910.
- Grime, J.P., 1977. Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *Am. Nat.* 111, 1169–1194.
- Grime, J.P., 1973. Competitive exclusion in herbaceous vegetation. *Nature* 242–344.
- Grossiord, C., Granier, A., Gessler, A., Jucker, T., Bonal, D., 2014. Does Drought Influence the Relationship Between Biodiversity and Ecosystem Functioning in Boreal Forests? *Ecosystems* 17, 394–404. doi:10.1007/s10021-013-9729-1
- Guyot, V., Castagneyrol, B., Vialatte, A., Deconchat, M., Selvi, F., Bussotti, F., Jactel, H., 2015. Tree diversity limits the impact of an invasive forest pest 1–16. doi:10.1371/journal.pone.0136469
- Haase, J., Castagneyrol, B., Cornelissen, J.H.C., Ghazoul, J., Kattge, J., Koricheva, J., Scherer-Lorenzen, M., Morath, S., Jactel, H., 2015. Contrasting effects of tree diversity on young tree growth and resistance to insect herbivores across three biodiversity experiments. *Oikos* 1–12. doi:10.1111/oik.02090
- Hajji, M., Dreyer, E., Marçais, B., 2009. Impact of *Erysiphe alphitoides* on transpiration and photosynthesis in *Quercus robur* leaves. *Eur. J. Plant Pathol.* 125, 63–72. doi:10.1007/s10658-009-9458-7
- Hamelin, F.M., Bisson, A., Fabre, F., Mailleret, L., 2016. Temporal niche differentiation of parasites sharing the same plant host : oak powdery mildew as a case study 7, 13.
- Hantsch, L., Bien, S., Radatz, S., Braun, U., Auge, H., Bruehlheide, H., 2014. Tree diversity and the role of non-host neighbour tree species in reducing fungal pathogen infestation. *J. Ecol.* 102, 1673–1687. doi:10.1111/1365-2745.12317
- Hantsch, L., Braun, U., Scherer-Lorenzen, M., Bruehlheide, H., 2013. Species richness and species identity effects on occurrence of foliar fungal pathogens in a tree diversity experiment. *Ecosphere* 4, art81. doi:doi: 10.1890/es13-00103.1
- He, Q., Bertness, M.D., Altieri, A.H., 2013. Global shifts towards positive species interactions with increasing environmental stress. *Ecol. Lett.* 16, 695–706. doi:10.1111/ele.12080

- Hector, A., Bazeley-White, E., Loreau, M., Otway, S., Schmid, B., 2002. Overyielding in grassland communities: testing the sampling effect hypothesis with replicated biodiversity experiments. *Ecol. Lett.* 5, 502–511. doi:10.1046/j.1461-0248.2002.00337.x
- Hector, A., Joshi, J., Scherer-Lorenzen, M., Schmid, B., Spehn, E.M., Wacker, L., Weilenmann, M., Bazeley-White, E., Beierkuhnlein, C., Caldeira, M.C., Dimitrakopoulos, P.G., Finn, J. a., Huss-Danell, K., Jumpponen, A., Leadley, P.W., Loreau, M., Mulder, C.P.H., Neßhöver, C., Palmberg, C., Read, D.J., Siamantziouras, A.S.D., Terry, A.C., Troumbis, A.Y., 2007. Biodiversity and ecosystem functioning: reconciling the results of experimental and observational studies. *Funct. Ecol.* 21, 998–1002. doi:10.1111/j.1365-2435.2007.01308.x
- Hector, A., Schmid, B., Beierkuhnlein, C., Caldeira, M.C., Diemer, M., Dimitrakopoulos, P.G., Finn, J.A., Freitas, H., Giller, P.S., Good, J., Harris, R., Högberg, P., Huss-Danell, K., Joshi, J., Jumpponen, A., Körner, C., Leadley, P.W., Loreau, M., Minns, A., Mulder, C.P.H., O'Donovan, G., Otway, S.J., Pereira, J.S., Prinz, a., Read, D.J., Scherer-Lorenzen, M., Schulze, E.-D., Siamantziouras, A.S.D., Spehn, E.M., Terry, a. C., Troumbis, a. Y., Woodward, F.I., Yachi, S., Lawton, J.H., 1999. Plant Diversity and Productivity Experiments in European Grasslands. *Science* (80-.). 286, 1123–1127. doi:10.1126/science.286.5442.1123
- Heinsoo, K., Merilo, E., Petrovits, M., Koppel, A., 2009. Fine root biomass and production in a *Salix viminalis* and *Salix dasyclados* plantation. *Est. J. Ecol.* 58, 27. doi:10.3176/eco.2009.1.03
- Hillebrand, H., 2004. On the Generality of the Latitudinal Diversity Gradient. *Am. Nat.* 163, 192–211. doi:10.1086/381004
- Hillebrand, H., Matthiessen, B., 2009. Biodiversity in a complex world: consolidation and progress in functional biodiversity research. *Ecol. Lett.* 12, 1405–19. doi:10.1111/j.1461-0248.2009.01388.x
- Hooper, D.U., Adair, E.C., Cardinale, B.J., Byrnes, J.E.K., Hungate, B. a., Matulich, K.L., Gonzalez, A., Duffy, J.E., Gamfeldt, L., O'Connor, M.I., O'Connor, M.I., 2012. A global synthesis reveals biodiversity loss as a major driver of ecosystem change. *Nature* 486, 105–108. doi:10.1038/nature11118
- Hooper, D.U., Chapin, F.S., Ewel, J.J., Hector, A., Inchausti, P., Lavorel, S., Lawton, J.H., Lodge, D.M., Loreau, M., Naeem, S., Schmid, B., Setälä, H., Symstad, A.J., Vandermeer, J., Wardle, D.A., 2005. Effects of biodiversity on ecosystem functioning: A consensus of current knowledge. *Ecol. Monogr.* 75(1), 3–35. doi:10.1890/04-0922
- Hubbert, M.K., 1949. Energy from Fossil Fuels. *Science* 109, 103–9. doi:10.1126/science.109.2823.103
- Huston, M.A., 1997. Hidden treatments in ecological experiments: re-evaluating the ecosystem function of biodiversity. *Oecologia* 110, 449–460. doi:10.1007/s004420050180
- Isbell, F.I., Polley, H.W., Wilsey, B.J., 2009. Biodiversity, productivity and the temporal stability of productivity: patterns and processes. *Ecol. Lett.* 12, 443–51. doi:10.1111/j.1461-0248.2009.01299.x
- Jactel, H., Brockerhoff, E., Duelli, P., 2005. A test of the biodiversity-stability theory: Meta-analysis of tree species diversity effects on insect pest infestations, and re-examination of

- responsible factors., in: Scherer-Lorenzen, M., Körner, C., Schulze, E.-D. (Eds.), *Forest Diversity and Function: Temperate and Boreal Systems*. Springer Berlin, Heidelberg, Germany, p. 411.
- Jactel, H., Brockerhoff, E.G., 2007. Tree diversity reduces herbivory by forest insects. *Ecol. Lett.* 10, 835–848. doi:10.1111/j.1461-0248.2007.01073.x
- Jakobsson, K., Bentley, R., Söderbergh, B., Aleklett, K., 2012. The end of cheap oil: Bottom-up economic and geologic modeling of aggregate oil production curves. *Energy Policy* 41, 860–870. doi:10.1016/j.enpol.2011.11.073
- Jensen, A.M., Gardiner, E.S., Vaughn, K.C., 2012. High-light acclimation in *Quercus robur* L. seedlings upon over-topping a shaded environment. *Environ. Exp. Bot.* 78, 25–35. doi:10.1016/j.envexpbot.2011.12.020
- Jucker, T., Avăcăreț, D., Bărnoaiea, I., Duduman, G., Bouriaud, O., Coomes, D.A., 2015. Climate modulates the effects of tree diversity on forest productivity. *J. Ecol.* 104, 388–398. doi:10.1111/1365-2745.12522
- Kareiva, P., Watts, S., McDonald, R., Boucher, T., 2007. Domesticated nature: shaping landscapes and ecosystems for human welfare. *Science* (80-.). 316, 1866–1869. doi:10.1126/science.1140170
- Kennedy, T. a, Naeem, S., Howe, K.M., Knops, J.M.H., Tilman, D., Reich, P., 2002. Biodiversity as a barrier to ecological invasion. *Nature* 417, 636–638. doi:10.1038/nature00776
- Kigathi, R.N., Unsicker, S.B., Reichelt, M., Kesselmeier, J., Gershenzon, J., Weisser, W.W., 2009. Emission of volatile organic compounds after herbivory from *Trifolium pratense* (L.) under laboratory and field conditions. *J. Chem. Ecol.* 35, 1335–1348. doi:10.1007/s10886-009-9716-3
- Knoke, T., Stimm, B., Ammer, C., Moog, M., 2005. Mixed forests reconsidered: A forest economics contribution on an ecological concept. *For. Ecol. Manage.* 213, 102–116. doi:10.1016/j.foreco.2005.03.043
- Koyama, A., Tsuyuzaki, S., 2013. Facilitation by tussock-forming species on seedling establishment collapses in an extreme drought year in a post-mined *Sphagnum* peatland. *J. Veg. Sci.* 24, 473–483. doi:10.1111/j.1654-1103.2012.01474.x
- Kumar, R., Mittal, V., Patankar, N. V, Ramamurthy, V. V, 2010. Bionomics of mycophagous coccinellid., *Munis Entomol. Zool.* 5, 652–657.
- Kuster, T.M., Arend, M., Bleuler, P., Günthardt-Goerg, M.S., Schulin, R., 2011. Water regime and growth of young oak stands subjected to air-warming and drought on two different forest soils in a model ecosystem experiment. *Plant Biol.* 15, 138–147. doi:10.1111/j.1438-8677.2011.00552.x
- Kuznetsova, A., Bruun Brockhoff, P., Haubo Bojesen Christensen, R., 2015. lmerTest: Tests in Linear Mixed Effects Models. R package version 2.0-29.
- Laanisto, L., Hutchings, M.J., 2015. Comment on “Worldwide evidence of a unimodal relationship between productivity and plant species richness.” *Science* (80-.). 350, 1177–b. doi:10.1126/science.aab3916

- Lajtha, K., Driscoll, C., Jarrell, W., Elliot, E., 1999. Soil phosphorus, in: *Standard Soil Methods for Long-Term Ecological Research*. Oxford University Press, New York, pp. 166–182.
- Letourneau, D.K., 1987. The Enemies Hypothesis : Tritrophic Interactions and Vegetational Diversity in Tropical Agroecosystems. *Ecology* 68, 1616–1622.
- Leuschner, C., Jungkunst, H., Fleck, S., 2009. Functional role of forest diversity: Pros and cons of synthetic stands and across-site comparisons in established forests. *Basic Appl. Ecol.* 10, 1–9. doi:10.1016/j.baae.2008.06.001
- Liang, J., Crowther, T.W., Picard, N., Wiser, S., Zhou, M., Alberti, G., Schulze, E.-D., McGuire, D., Bozzato, F., Pretzsch, H., De-Miguel, S., Paquette, A., Hérault, B., Scherer-Lorenzen, M., Barrett, C.B., Glick, H.B., Hengeveld, G.M., Nabuurs, G.-J., Pfautsch, S., Viana, H., Vibrans, A.C., Ammer, C., Schall, P., Verbyla, D., Tchebakova, N., Fischer, M., Watson, J. V., Chen, H.Y.H., Lei, X., Schelhaas, M.-J., Lu, H., Gianelle, D., Parfenova, E.I., Salas, C., Lee, E., Lee, B., Kim, H.S., Bruelheide, H., Coomes, D.A., Piotto, D., Sunderland, T., Schmid, B., Gourlet-Fleury, S., Sonké, B., Tavani, R., Zhu, J., Brandl, S., Vayreda, J., Kitahara, F., Searle, E.B., Neldner, V.J., Ngugi, M.R., Baraloto, C., Frizzera, L., Bałazy, R., Oleksyn, J., Zawila-Niedzwiecki, T., Bouriaud, O., Bussotti, F., Finér, L., Jaroszewicz, B., Jucker, T., Valladares, F., Jagodzinski, A.M., Peri, P.L., Gonmadje, C., Marthy, W., O'Brien, T., Martin, E.H., Marshall, A., Rovero, F., Bitariho, R., Niklaus, P.A., Alvarez-Loayza, P., Chamuya, N., Valencia, R., Mortier, F., Wortel, V., Engone-Obiang, N.L., Ferreira, L. V., Odeke, D.E., Vasquez, R.M., Reich, P.B., 2016. Positive biodiversity–productivity relationship predominant in global forests. *Science* (80-.). 354. doi:10.1126/science.aaf8957
- Liang, J., Zhou, M., Tobin, P.C., McGuire, A.D., Reich, P.B., 2015. Biodiversity influences plant productivity through niche–efficiency. *Proc. Natl. Acad. Sci.* 112, 5738–5743. doi:10.1073/pnas.1409853112
- Lindgaard, K.N., Cater, M.M., McCracken, A., Shield, I.F., Macalpine, W., Hinton Jones, M., Valentine, J., Larsson, S., 2011. Comparative trials of elite Swedish and UK biomass willow varieties 2001 – 2010. *Asp. Appl. Biol.* 112, 10.
- Lindner, M., Garcia-Gonzalo, J., Kolström, M., Green, T., Reguera, R., Maroschek, M., Seidl, R., Lexer, M.J., Netherer, S., Schopf, A., Kremer, A., Delzon, S., Barbati, A., Marchetti, M., Corona, P., 2008. Impacts of Climate Change on European Forests and Options for Adaptation. Rep. to Eur. Comm. Dir. Agric. Rural Dev. 1–104.
- Little Jr, E.L., 1983. North American Trees With Relationships in Eastern Asia. *Ann. Missouri Bot. Gard.* 70, 605–615.
- López, R.P., Squeo, F.A., Armas, C., Kelt, D.A., Gutiérrez, J.R., 2016. Enhanced facilitation at the extreme end of the aridity gradient in the Atacama Desert: A community-level approach. *Ecology* 97, 1593–1604. doi:10.1890/15-1152.1
- Loreau, M., Hector, A., 2001. Partitioning selection and complementarity in biodiversity experiments. *Nature* 412, 72–6. doi:10.1038/35083573
- Louthan, A.M., Doak, D.F., Goheen, J.R., Palmer, T.M., Pringle, R.M., 2013. Climatic stress mediates the impacts of herbivory on plant population structure and components of individual fitness. *J. Ecol.* 101, 1074–1083. doi:10.1111/1365-2745.12090

- Lu, X., Siemann, E., He, M., Wei, H., Shao, X., Ding, J., 2015. Climate warming increases biological control agent impact on a non-target species. *Ecol. Lett.* 18, 48–56. doi:10.1111/ele.12391
- Maes, W.H., Minchin, P.E.H., Snelgar, W.P., Steppe, K., 2014. Early detection of *Psa* infection in kiwifruit by means of infrared thermography at leaf and orchard scale. *Funct. Plant Biol.*
- Maes, W.H., Steppe, K., 2012. Estimating evapotranspiration and drought stress with ground-based thermal remote sensing in agriculture: a review. *J. Exp. Bot.* 63, 4671–712. doi:10.1093/jxb/ers165
- Maestre, F.T., Bowker, M. a, Escobar, C., Puche, M.D., Soliveres, S., Maltez-Mouro, S., García-Palacios, P., Castillo-Monroy, A.P., Martínez, I., Escudero, A., 2010. Do biotic interactions modulate ecosystem functioning along stress gradients? Insights from semi-arid plant and biological soil crust communities. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 365, 2057–2070. doi:10.1098/rstb.2010.0016
- Maestre, F.T., Callaway, R.M., Valladares, F., Lortie, C.J., 2009. Refining the stress-gradient hypothesis for competition and facilitation in plant communities. *J. Ecol.* 97, 199–205. doi:10.1111/j.1365-2745.2008.01476.x
- Maestre, F.T., Valladares, F., Reynolds, J.F., 2005. Is the change of plant-plant interactions with abiotic stress predictable? A meta-analysis of field results in arid environments. *J. Ecol.* 93, 748–757. doi:10.1111/j.1365-2745.2005.01017.x
- Mantau, U., Saal, U., Prins, K., Steierer, F., Lindner, M., Verkerk, H., Eggers, J., Leek, N., Oldenburger, J., Asikainen, A., Anttila, P., 2010. EUwood - Real potential for changes in growth and use of EU forests. Final report. Hamburg, Germany.
- Marçais, B., Desprez-Loustau, M.-L., 2012. European oak powdery mildew: impact on trees, effects of environmental factors, and potential effects of climate change. *Ann. For. Sci.* 71, 633–642. doi:10.1007/s13595-012-0252-x
- Marçais, B., Kavkova, M., Desprez-Loustau, M.-L., 2009. Phenotypic variation in the phenology of ascospore production between European populations of oak powdery mildew. *Ann. For. Sci.* 66, 814–814. doi:10.1051/forest/2009077
- Marquard, E., Weigelt, A., Temperton, V.M., Roscher, C., Schumacher, J., Buchmann, N., Fischer, M., Weisser, W.W., Schmid, B., 2009. Plant species richness and functional composition drive overyielding in a six-year grassland experiment. *Ecology* 90, 3290–3302. doi:10.1890/09-0069.1
- Matson, P.A., 1997. Agricultural Intensification and Ecosystem Properties. *Science* (80-.). 277, 504–509. doi:10.1126/science.277.5325.504
- McCracken, A.R., Dawson, W.M., 1998. Short rotation coppice willow in Northern Ireland since 1973 : development of the use of mixtures in the control of foliar rust. *Eur. J. Plant Pathol.* 28, 241–250.
- McCracken, A.R., Walsh, L., Moore, P.J., Lynch, M., Cowan, P., Dawson, M., Watson, S., 2011. Yield of willow (*Salix* spp.) grown in short rotation coppice mixtures in a long-term trial. *Ann. Appl. Biol.* 159, 229–243. doi:10.1111/j.1744-7348.2011.00488.x

- McGrath, M.T., 2001. Fungicide Resistance in Cucurbit Powdery Mildew: Experiences and Challenges. *Plant Dis.* 85, 236–245. doi:10.1094/PDIS.2001.85.3.236
- Meehl, G. a, Tebaldi, C., 2004. More Intense, More Frequent, and Longer Lasting Heat Waves in the 21st Century. *Science* (80-.). 305, 994–997. doi:10.1126/science.1098704
- Meinen, C., Hertel, D., Leuschner, C., 2009a. Biomass and morphology of fine roots in temperate broad-leaved forests differing in tree species diversity: Is there evidence of below-ground overyielding? *Oecologia* 161, 99–111. doi:10.1007/s00442-009-1352-7
- Meinen, C., Hertel, D., Leuschner, C., 2009b. Root Growth and Recovery in Temperate Broad-Leaved Forest Stands Differing in Tree Species Diversity. *Ecosystems* 12, 1103–1116. doi:10.1007/s10021-009-9271-3
- Melidossian, H.S., Seem, R.C., English-Loeb, G., Wilcox, W.F., Gadoury, D.M., 2005. Suppression of grapevine powdery mildew by a mycophagous mite. *Plant Dis.* 89, 1331–1338. doi:10.1094/PD-89-1331
- Michalet, R., Schöb, C., Lortie, C.J., Brooker, R.W., Callaway, R.M., 2014. Partitioning net interactions among plants along altitudinal gradients to study community responses to climate change. *Funct. Ecol.* 28, 75–86. doi:10.1111/1365-2435.12136
- Millennium Ecosystem Assessment, 2005. *Ecosystems and human well-being: Biodiversity Synthesis*. Washington, DC.
- Morin, X., Fahse, L., de Mazancourt, C., Scherer-Lorenzen, M., Bugmann, H., 2014. Temporal stability in forest productivity increases with tree diversity due to asynchrony in species dynamics. *Ecol. Lett.* 17, 1526–1535. doi:10.1111/ele.12357
- Morin, X., Fahse, L., Scherer-Lorenzen, M., Bugmann, H., 2011. Tree species richness promotes productivity in temperate forests through strong complementarity between species. *Ecol. Lett.* 14, 1211–9. doi:10.1111/j.1461-0248.2011.01691.x
- Mougou, A., Dutech, C., Desprez-Loustau, M.L., 2008. New insights into the identity and origin of the causal agent of oak powdery mildew in Europe. *For. Pathol.* 38, 275–287. doi:10.1111/j.1439-0329.2008.00544.x
- Nadrowski, K., Wirth, C., Scherer-Lorenzen, M., 2010. Is forest diversity driving ecosystem function and service? *Curr. Opin. Environ. Sustain.* 2, 75–79. doi:10.1016/j.cosust.2010.02.003
- Nakagawa, S., Schielzeth, H., 2013. A general and simple method for obtaining R² from generalized linear mixed-effects models. *Methods Ecol. Evol.* 4, 133–142. doi:10.1111/j.2041-210x.2012.00261.x
- Netherer, S., Schopf, A., 2010. Potential effects of climate change on insect herbivores in European forests-General aspects and the pine processionary moth as specific example. *For. Ecol. Manage.* 259, 831–838. doi:10.1016/j.foreco.2009.07.034
- Nguyen, D., Castagneyrol, B., Bruelheide, H., Bussotti, F., Guyot, V., Jactel, H., Jaroszewicz, B., Valladares, F., Stenlid, J., Boberg, J., 2016. Fungal disease incidence along tree diversity gradients depends on latitude in European forests. *Ecol. Evol.* 6, 2426–2438. doi:10.1002/ece3.2056

- Niinemets, Ü., 2010. Responses of forest trees to single and multiple environmental stresses from seedlings to mature plants: Past stress history, stress interactions, tolerance and acclimation. *For. Ecol. Manage.* 260, 1623–1639. doi:10.1016/j.foreco.2010.07.054
- Niinemets, Ü., 1998. Growth of Young Trees of *Acer platanoides* and *Quercus robur* Along a Gap- Understory Continuum : Interrelationships between Allometry , Biomass Partitioning , Nitrogen , and Shade Tolerance. *Int. J. Plant Sci.* 159, 318–330.
- Niinemets, U., Kännaste, A., Copolovici, L., 2013. Quantitative patterns between plant volatile emissions induced by biotic stresses and the degree of damage. *Front. Plant Sci.* 4, 262. doi:10.3389/fpls.2013.00262
- Oksanen, L., Oksanen, T., 2000. The Logic and Realism of the Hypothesis of Exploitation Ecosystems. *Am. Nat.* 155, 703–723. doi:10.1086/303354
- Ostfeld, R.S., Keesing, F., 2012. Effects of Host Diversity on Infectious Disease. *Annu. Rev. Ecol. Evol. Syst.* 43, 157–182. doi:10.1146/annurev-ecolsys-102710-145022
- Pap, P., Ranković, B., Maširević, S., 2013. Effect of temperature, relative humidity and light on conidial germination of oak powdery mildew (*Microsphaera alphitoides* Griff. et Maubl.) under controlled conditions. *Arch. Biol. Sci.* 65, 1069–1078. doi:10.2298/ABS1303069P
- Pap, P., Ranković, B., Maširević, S., 2012. Significance and need of powdery mildew control (*Microsphaera alphitoides* Griff. et Maubl.) in the process of regeneration of the pedunculate oak (*Quercus robur* L.) stands in the Ravni Srem area. *Period. Biol.* 114, 91–102.
- Pap, P., Stojnić, S., Nikolić, N., Orlović, S., Marković, M., Vasić, V., Stevanov, M., 2014. Impact of *erysiphe alphitoides* (Griffon & Maubl.) U. Braun & S. Takam. on leaf physiological parameters in pedunculate oak (*Quercus robur* L.) saplings. *Balt. For.* 20, 2–9.
- Paquette, A., Messier, C., 2011. The effect of biodiversity on tree productivity: From temperate to boreal forests. *Glob. Ecol. Biogeogr.* 20, 170–180. doi:10.1111/j.1466-8238.2010.00592.x
- Paquette, A., Messier, C., 2010. The role of plantations in managing the world's forests in the Anthropocene. *Front. Ecol. Environ.* 8, 27–34. doi:10.1890/080116
- Peacock, L., Herrick, S., Brain, P., 1999. Spatio-temporal dynamics of willow beetle (*Phratora vulgatissima*) in short-rotation coppice willows grown as monocultures or a genetically diverse mixture. *Agric. For. Entomol.* 1, 287–296. doi:10.1046/j.1461-9563.1999.00039.x
- Peacock, L., Hunter, T., Turner, H., Brain, P., 2001. Does host genotype diversity affect the distribution of insect and disease damage in willow cropping systems ? *J. Appl. Ecol.* 5, 1070–1081.
- Piotto, D., 2008. A meta-analysis comparing tree growth in monocultures and mixed plantations. *For. Ecol. Manage.* 255, 781–786. doi:10.1016/j.foreco.2007.09.065
- Potvin, C., Gotelli, N.J., 2008. Biodiversity enhances individual performance but does not affect survivorship in tropical trees. *Ecol. Lett.* 11, 217–23. doi:10.1111/j.1461-0248.2007.01148.x
- Pretzsch, H., 2005. Diversity and Productivity in Forests: Evidence from Long-Term Experimental Plots, in: Scherer-Lorenzen, M., Körner, C., Schulze, E.-D. (Eds.), *Forest*

Diversity and Function: Temperate and Boreal Systems. Springer-Verlag Berlin Heidelberg, pp. 41–64.

- Pretzsch, H., del Río, M., Ammer, C., Avdagic, A., Barbeito, I., Bielak, K., Brazaitis, G., Coll, L., Dirnberger, G., Drössler, L., Fabrika, M., Forrester, D.I., Godvood, K., Heym, M., Hurt, V., Kurylyak, V., Löf, M., Lombardi, F., Matović, B., Mohren, F., Motta, R., den Ouden, J., Pach, M., Ponette, Q., Schütze, G., Schweig, J., Skrzyszewski, J., Sramek, V., Sterba, H., Stojanović, D., Svoboda, M., Vanhellefont, M., Verheyen, K., Wellhausen, K., Zlatanov, T., Bravo-Oviedo, A., 2015. Growth and yield of mixed versus pure stands of Scots pine (*Pinus sylvestris* L.) and European beech (*Fagus sylvatica* L.) analysed along a productivity gradient through Europe. *Eur. J. For. Res.* 134, 927–947. doi:10.1007/s10342-015-0900-4
- Pretzsch, H., Schütze, G., 2009. Transgressive overyielding in mixed compared with pure stands of Norway spruce and European beech in Central Europe: Evidence on stand level and explanation on individual tree level. *Eur. J. For. Res.* 128, 183–204. doi:10.1007/s10342-008-0215-9
- Pretzsch, H., Schütze, G., Uhl, E., 2012. Resistance of European tree species to drought stress in mixed versus pure forests: Evidence of stress release by inter-specific facilitation. *Plant Biol.* 15, 483–495. doi:10.1111/j.1438-8677.2012.00670.x
- Rackham, O., 2003. *Ancient Woodland: its history, vegetation and uses in England*. Castlepoint Press, Dalbeattie.
- R Core Team, 2015. R: A language and environment for statistical computing.
- R Core Team, 2014. R: A language and environment for statistical computing. R A Lang. Environ. Stat. Comput.
- Rasband, W.S., 2016. ImageJ, U.S.
- Ratcliffe, S., Holzwarth, F., Nadrowski, K., Levick, S., Wirth, C., 2015. Tree neighbourhood matters - tree species composition drives diversity-productivity patterns in a near-natural beech forest. *For. Ecol. Manage.* 335, 225–234. doi:10.1016/j.foreco.2014.09.032
- Rocha, S., Delgadillo, I., Ferrer Correia, a. J., 1996. GC–MS Study of Volatiles of Normal and Microbiologically Attacked Cork from *Quercus suber* L. *J. Agric. Food Chem.* 44, 865–871. doi:10.1021/jf9500400
- Rockström, J., Steffen, W., Noone, K., Persson, A., Chapin, F.S., Lambin, E., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P., Foley, J., 2009. Planetary boundaries: Exploring the safe operating space for humanity. *Ecol. Soc.* 14. doi:10.1038/461472a
- Roger, F., Godhe, A., Gamfeldt, L., 2012. Genetic diversity and ecosystem functioning in the face of multiple stressors. *PLoS One* 7, e45007. doi:10.1371/journal.pone.0045007
- Running, S.W., 2012. A Measurable Planetary Boundary for the Biosphere. *Science* (80-.). 337, 1458–1459. doi:10.1126/science.1227620
- Salkeld, D.J., Padgett, K.A., Jones, J.H., 2013. A meta-analysis suggesting that the relationship

- between biodiversity and risk of zoonotic pathogen transmission is idiosyncratic. *Ecol. Lett.* 16, 679–686. doi:10.1111/ele.12101
- Samways, M.J., Osborn, R., Saunders, T.L., 1997. Mandible Form Relative to the Main Food Type in Ladybirds (Coleoptera: Coccinellidae). *Biocontrol Sci. Technol.* 7, 275–286. doi:10.1080/09583159730974
- Sanchez, P.A., Denning, G.L., Nziguheba, G., 2009. The African Green Revolution moves forward. *Food Secur.* 1, 37–44. doi:10.1007/s12571-009-0011-5
- Satti, A.A., 2015. First record and bionomics of the mycophagous ladybird *Psyllobora bisoctonotata* (Mulsant) (Coleoptera: Coccinellidae) in Sudan. *J. Saudi Soc. Agric. Sci.* 14, 48–53. doi:10.1016/j.jssas.2013.06.003
- Sax, D.F., Gaines, S.D., 2003. Species diversity: From global decreases to local increases. *Trends Ecol. Evol.* 18, 561–566. doi:10.1016/S0169-5347(03)00224-6
- Scharnweber, T., Manthey, M., Criegee, C., Bauwe, A., Schröder, C., Wilmking, M., 2011. Drought matters - Declining precipitation influences growth of *Fagus sylvatica* L. and *Quercus robur* L. in north-eastern Germany. *For. Ecol. Manage.* 262, 947–961. doi:10.1016/j.foreco.2011.05.026
- Scherber, C., Eisenhauer, N., Weisser, W.W., Schmid, B., Voigt, W., Fischer, M., Schulze, E.-D., Roscher, C., Weigelt, A., Allan, E., Beßler, H., Bonkowski, M., Buchmann, N., Buscot, F., Clement, L.W., Ebeling, A., Engels, C., Halle, S., Kertscher, I., Klein, A.-M., Koller, R., König, S., Kowalski, E., Kummer, V., Kuu, A., Lange, M., Lauterbach, D., Middelhoff, C., Migunova, V.D., Milcu, A., Müller, R., Partsch, S., Petermann, J.S., Renker, C., Rottstock, T., Sabais, A., Scheu, S., Schumacher, J., Temperton, V.M., Tscharnke, T., 2010. Bottom-up effects of plant diversity on multitrophic interactions in a biodiversity experiment. *Nature* 468, 553–556. doi:10.1038/nature09492
- Scherer-Lorenzen, M., 2014. The functional role of biodiversity in the context of global change, *Forests and Global Change*. Cambridge University Press, Cambridge, United Kingdom.
- Scherer-Lorenzen, M., Körner, C., Schulze, E.-D., 2005a. The Functional Significance of Forest Diversity: a Synthesis, in: Scherer-Lorenzen, M., Körner, C., Schulze, E.-D. (Eds.), *Forest Diversity and Function: Temperate and Boreal Systems*. Springer-Verlag Berlin Heidelberg, pp. 377–389.
- Scherer-Lorenzen, M., Potvin, C., Koricheva, J., Schmid, B., Hector, A., Bornik, Z., Reynolds, G., Schulze, E.-D., 2005b. The Design of Experimental Tree Plantations for Functional Biodiversity Research, in: Scherer-Lorenzen, M., Körner, C., Schulze, E.-D. (Eds.), *Forest Diversity and Function: Temperate and Boreal Systems*. Springer-Verlag Berlin Heidelberg, pp. 347–376.
- Scherer-Lorenzen, M., Schulze, E., Don, A., Schumacher, J., Weller, E., 2007. Exploring the functional significance of forest diversity: A new long-term experiment with temperate tree species (BIOTREE). *Perspect. Plant Ecol. Evol. Syst.* 9, 53–70. doi:10.1016/j.ppees.2007.08.002
- Schmidtke, A., Rottstock, T., Gaedke, U., Fischer, M., 2010. Plant community diversity and composition affect individual plant performance. *Oecologia* 164, 665–77. doi:10.1007/s00442-010-1688-z

- Schuldt, A., Bruelheide, H., Härdtle, W., Assmann, T., Li, Y., Ma, K., von Oheimb, G., Zhang, J., 2015. Early positive effects of tree species richness on herbivory in a large-scale forest biodiversity experiment influence tree growth. *J. Ecol.* 103, 563–571. doi:10.1111/1365-2745.12396
- Setiawan, N.N., Vanhellemont, M., Baeten, L., Dillen, M., Verheyen, K., 2014. The effects of local neighbourhood diversity on pest and disease damage of trees in a young experimental forest. *For. Ecol. Manage.* 334, 1–9. doi:10.1016/j.foreco.2014.08.032
- Setiawan, N.N., Vanhellemont, M., Baeten, L., Van de Peer, T., Ampoorter, E., Ponette, Q., Verheyen, K., 2016. Local neighbourhood effects on sapling growth in a young experimental forest. *For. Ecol. Manage.* doi:10.1016/j.foreco.2016.10.012
- Sheil, D., Casson, a, Meijaard, E., Van Noordwijk, M., Gaskell, J., Sunderland-Groves, J., Wertz, K., Kanninen, M., 2009. The impacts and opportunities of oil palm in Southeast Asia, Africa. doi:10.17528/cifor/002792
- Smit, C., Den Ouden, J., Müller-Schärer, H., 2006. Unpalatable plants facilitate tree sapling survival in wooded pastures. *J. Appl. Ecol.* 43, 305–312. doi:10.1111/j.1365-2664.2006.01147.x
- Smit, C., Rietkerk, M., Wassen, M.J., 2009. Inclusion of biotic stress (consumer pressure) alters predictions from the stress gradient hypothesis. *J. Ecol.* 97, 1215–1219. doi:10.1111/j.1365-2745.2009.01555.x
- Sobek, S., Scherber, C., Steffan-Dewenter, I., Tscharntke, T., 2009. Sapling herbivory, invertebrate herbivores and predators across a natural tree diversity gradient in Germany's largest connected deciduous forest. *Oecologia* 160, 279–288. doi:10.1007/s00442-009-1304-2
- Soliveres, S., Maestre, F.T., 2014. Plant-plant interactions, environmental gradients and plant diversity: A global synthesis of community-level studies. *Perspect. Plant Ecol. Evol. Syst.* 16, 154–163. doi:10.1016/j.ppees.2014.04.001
- Soliveres, S., Smit, C., Maestre, F.T., 2014. Moving forward on facilitation research: Response to changing environments and effects on the diversity, functioning and evolution of plant communities. *Biol. Rev.* 90, 297–313. doi:10.1111/brv.12110
- Spathelf, P., Van Der Maaten, E., Van Der Maaten-Theunissen, M., Campioli, M., Dobrowolska, D., 2014. Climate change impacts in European forests: The expert views of local observers. *Ann. For. Sci.* 71, 131–137. doi:10.1007/s13595-013-0280-1
- Spieß, N., Oufir, M., Matušíková, I., Stierschneider, M., Kopecky, D., Homolka, A., Burg, K., Fluch, S., Hausman, J.F., Wilhelm, E., 2012. Ecophysiological and transcriptomic responses of oak (*Quercus robur*) to long-term drought exposure and rewatering. *Environ. Exp. Bot.* 77, 117–126. doi:10.1016/j.envexpbot.2011.11.010
- Spinelli, R., 2007. Short rotation coppice (SRC) production in Italy. *Bornimer Agrartech. Berichte* 61, 158–167.
- Srivastava, D.S., Vellend, M., 2005. BIODIVERSITY-ECOSYSTEM FUNCTION RESEARCH: Is It Relevant to Conservation? *Annu. Rev. Ecol. Evol. Syst.* 36, 267–294. doi:10.1146/annurev.ecolsys.36.102003.152636

- Stachowicz, J.J., Byrnes, J.E., 2006. Species diversity, invasion success, and ecosystem functioning: Disentangling the influence of resource competition, facilitation, and extrinsic factors. *Mar. Ecol. Prog. Ser.* 311, 251–262. doi:10.3354/meps311251
- Steudel, B., Hector, A., Friedl, T., Löffke, C., Lorenz, M., Wesche, M., Kessler, M., 2012. Biodiversity effects on ecosystem functioning change along environmental stress gradients. *Ecol. Lett.* 15, 1397–1405. doi:10.1111/j.1461-0248.2012.01863.x
- Sutherland, A.M., Gubler, W.D., Parrella, M.P., 2010. Effects of fungicides on a mycophagous coccinellid may represent integration failure in disease management. *Biol. Control* 54, 292–299. doi:10.1016/j.biocontrol.2010.05.020
- Sutherland, A.M., Parrella, M.P., 2009. Mycophagy in Coccinellidae: Review and synthesis. *Biol. Control* 51, 284–293. doi:10.1016/j.biocontrol.2009.05.012
- Tabata, J., de Moraes, C.M., Mescher, M.C., 2011. Olfactory cues from plants infected by powdery mildew guide foraging by a mycophagous ladybird beetle. *PLoS One* 6, 2–7. doi:10.1371/journal.pone.0023799
- Tack, A.J.M., Gripenberg, S., Roslin, T., 2012. Cross-kingdom interactions matter: Fungal-mediated interactions structure an insect community on oak. *Ecol. Lett.* 15, 177–185. doi:10.1111/j.1461-0248.2011.01724.x
- Tahvanainen, L., Rytönen, V., 1999. Biomass production of *Salix viminalis* in southern Finland and the effect of soil properties and climate conditions on its production and survival. *Biomass and Bioenergy* 16, 103–117.
- Tharakan, P.J., Volk, T.A., Abrahamson, L.P., White, E.H., 2003. Energy feedstock characteristics of willow and hybrid poplar clones at harvest age. *Biomass and Bioenergy* 25, 571–580. doi:10.1016/S0961-9534(03)00054-0
- Thompson, I., Mackey, B., McNulty, S., Mosseler, A., 2009. Forest Resilience, Biodiversity, and Climate Change. A Synthesis of the Biodiversity/Resilience/Stability Relationship in Forest Ecosystems., Secretariat of the Convention on Biological Diversity, Montreal. Technical Series no. 43.
- Thompson, K., Askew, A.P., Grime, J.P., Dunnett, N.P., Willis, A.J., 2005. Biodiversity, ecosystem function and plant traits in mature and immature plant communities. *Funct. Ecol.* 19, 355–358. doi:10.1111/j.0269-8463.2005.00936.x
- Tilman, D.A., 1978. Wood as an energy source. New York Academic Press, New York, USA.
- Tilman, D., Hill, J., Lehman, C., 2006. Carbon-negative biofuels from low-input high-diversity grassland biomass. *Science* 314, 1598–600. doi:10.1126/science.1133306
- Tilman, D., Isbell, F., Cowles, J.M., 2014. Biodiversity and Ecosystem Functioning. *Annu. Rev. Ecol. Evol. Syst.* 45, 471–493. doi:10.1146/annurev-ecolsys-120213-091917
- Tilman, D., Reich, P.B., Isbell, F., 2012. Biodiversity impacts ecosystem productivity as much as resources, disturbance, or herbivory. *Proc. Natl. Acad. Sci.* 109, 10394–10397. doi:10.1073/pnas.1208240109
- Tilman, Reich, P.B., Knops, J., Wedin, D., Mielke, T., Lehman, C., 2001. Diversity and productivity in a long-term grassland experiment. *Science* 294, 843–5.

doi:10.1126/science.1060391

- Tobner, C.M., Paquette, A., Gravel, D., Reich, P.B., Williams, L.J., Messier, C., 2016. Functional identity is the main driver of diversity effects in young tree communities. *Ecol. Lett.* 19, 638–647. doi:10.1111/ele.12600
- Toïgo, M., Vallet, P., Perot, T., Bontemps, J.D., Piedallu, C., Courbaud, B., 2015. Overyielding in mixed forests decreases with site productivity. *J. Ecol.* 103, 502–512. doi:10.1111/1365-2745.12353
- Truong, D.H., Delaplace, P., Brostaux, Y., Heuskin, S., Francis, F., Lognay, G., 2014. Myzus persicae Feeding on Water Stressed-Arabidopsis Affects the Emission Profile of Plant Volatile Organic Compounds. *J. Environ. Ecol.* 5, 276. doi:10.5296/jee.v5i2.6848
- Turcsan, A., Steppe, K., Sarkozi, E., Erdelyi, E., Missoorten, M., Mees, G., Vander Mijnsbrugge, K., 2016. Early summer drought stress during the first growing year stimulates extra shoot growth in oak seedlings (*Quercus petraea*). *Front. Plant Sci.* 7, 1–9. doi:10.3389/fpls.2016.00193
- Valladares, F., Laanisto, L., Niinemets, Ü., Zavala, M.A., 2016. Shedding light on shade: ecological perspectives of understorey plant life. *Plant Ecol. Divers.* 9, 1–15. doi:10.1080/17550874.2016.1210262
- Van de Peer, T., Verheyen, K., Baeten, L., Ponette, Q., Muys, B., 2016. Biodiversity as insurance for sapling survival in experimental plantations. *Under Rev.* doi:10.1111/1365-2664.12721
- van der Plas, F., Manning, P., Allan, E., Scherer-Lorenzen, M., Verheyen, K., Wirth, C., Zavala, M.A., Hector, A., Ampoorter, E., Baeten, L., Barbaro, L., Bauhus, J., Benavides, R., Benneter, A., Berthold, F., Bonal, D., Bouriaud, O., Bruelheide, H., Bussotti, F., Carnol, M., Castagneyrol, B., Charbonnier, Y., Coomes, D., Coppi, A., Bastias, C.C., Muhie Dawud, S., De Wandeler, H., Domisch, T., Finér, L., Gessler, A., Granier, A., Grossiord, C., Guyot, V., Hättenschwiler, S., Jactel, H., Jaroszewicz, B., Joly, F.-X., Jucker, T., Koricheva, J., Milligan, H., Müller, S., Muys, B., Nguyen, D., Pollastrini, M., Raulund-Rasmussen, K., Selvi, F., Stenlid, J., Valladares, F., Vesterdal, L., Zielinski, D., Fischer, M., 2016a. Jack-of-all-trades effects drive biodiversity–ecosystem multifunctionality relationships in European forests. *Nat. Commun.* 7, 11109. doi:10.1038/ncomms11109
- van der Plas, F., Manning, P., Soliveres, S., Allan, E., Scherer-Lorenzen, M., Verheyen, K., Wirth, C., Zavala, M.A., Ampoorter, E., Baeten, L., Barbaro, L., Bauhus, J., Benavides, R., Benneter, A., Bonal, D., Bouriaud, O., Bruelheide, H., Bussotti, F., Carnol, M., Castagneyrol, B., Charbonnier, Y., Coomes, D.A., Coppi, A., Bastias, C.C., Dawud, S.M., De Wandeler, H., Domisch, T., Finér, L., Gessler, A., Granier, A., Grossiord, C., Guyot, V., Hättenschwiler, S., Jactel, H., Jaroszewicz, B., Joly, F., Jucker, T., Koricheva, J., Milligan, H., Mueller, S., Muys, B., Nguyen, D., Pollastrini, M., Ratcliffe, S., Raulund-Rasmussen, K., Selvi, F., Stenlid, J., Valladares, F., Vesterdal, L., Zielinski, D., Fischer, M., 2016b. Biotic homogenization can decrease landscape-scale forest multifunctionality. *Proc. Natl. Acad. Sci.* 113, 3557–3562. doi:10.1073/pnas.1517903113
- van Hees, A.F.M., 1997. Growth and morphology of pedunculate oak (*Quercus robur* L) and beech (*Fagus sylvatica* L) seedlings in relation to shading and drought. *Ann. des Sci. For.* 54, 9–18. doi:10.1051/forest:19970102

- van Ruijven, J., Berendse, F., 2009. Long-term persistence of a positive plant diversity-productivity relationship in the absence of legumes. *Oikos* 118, 101–106. doi:10.1111/j.1600-0706.2008.17119.x
- Vande Walle, I., Van Camp, N., Van de Castele, L., Verheyen, K., Lemeur, R., 2007. Short-rotation forestry of birch, maple, poplar and willow in Flanders (Belgium) I—Biomass production after 4 years of tree growth. *Biomass and Bioenergy* 31, 267–275. doi:10.1016/j.biombioe.2007.01.019
- Vehviläinen, H., Koricheva, J., Ruohomäki, K., 2007. Tree species diversity influences herbivore abundance and damage: Meta-analysis of long-term forest experiments. *Oecologia* 152, 287–298. doi:10.1007/s00442-007-0673-7
- Vellend, M., Baeten, L., Myers-Smith, I.H., Elmendorf, S.C., Beauséjour, R., Brown, C.D., De Frenne, P., Verheyen, K., Wipf, S., 2013. Global meta-analysis reveals no net change in local-scale plant biodiversity over time. *Proc. Natl. Acad. Sci. U. S. A.* 110, 19456–9. doi:10.1073/pnas.1312779110
- Vellend, M., Dornelas, M., Baeten, L., Beausejour, R., Brown, C., De Frenne, P., Elmendorf, S., Gotelli, N., Moyes, F., Myers-Smith, I., Magurran, A., McGill, B., Shimadzu, H., Sievers, C., 2016. Estimates of local biodiversity change over time stand up to scrutiny. *bioRxiv* 0, 62133. doi:10.1101/062133
- Verheyen, K., Buggenhout, M., Vangansbeke, P., De Dobbelaere, A., Verdonck, P., Bonte, D., 2014. Potential of Short Rotation Coppice plantations to reinforce functional biodiversity in agricultural landscapes. *Biomass and Bioenergy* 67, 435–442. doi:10.1016/j.biombioe.2014.05.021
- Verheyen, K., Ceunen, K., Ampoorter, E., Baeten, L., Bosman, B., Branquart, E., Carnol, M., De Wandeler, H., Grégoire, J.-C., Lhoir, P., Muys, B., Setiawan, N.N., Vanhellefont, M., Ponette, Q., 2013. Assessment of the functional role of tree diversity: the multi-site FORBIO experiment. *Plant Ecol. Evol.* 146, 1–10. doi:10.5091/plecevo.2013.803
- Verheyen, K., Vanhellefont, M., Auge, H., Baeten, L., Baraloto, C., Barsoum, N., Bilodeau-Gauthier, S., Bruelheide, H., Castagnérol, B., Godbold, D., Haase, J., Hector, A., Jactel, H., Koricheva, J., Loreau, M., Mereu, S., Messier, C., Muys, B., Nolet, P., Paquette, A., Parker, J., Perring, M., Ponette, Q., Potvin, C., Reich, P., Smith, A., Weih, M., Scherer-Lorenzen, M., 2015. Contributions of a global network of tree diversity experiments to sustainable forest plantations. *Ambio* 29–41. doi:10.1007/s13280-015-0685-1
- Vilà, M., Carrillo-Gavilán, A., Vayreda, J., Bugmann, H., Fridman, J., Grodzki, W., Haase, J., Kunstler, G., Schelhaas, M.J., Trasobares, A., 2013. Disentangling Biodiversity and Climatic Determinants of Wood Production. *PLoS One* 8. doi:10.1371/journal.pone.0053530
- Vilà, M., Vayreda, J., Comas, L., Ibáñez, J.J., Mata, T., Obón, B., 2007. Species richness and wood production: A positive association in Mediterranean forests. *Ecol. Lett.* 10, 241–250. doi:10.1111/j.1461-0248.2007.01016.x
- Vitousek, P.M., Mooney, H. a, Lubchenco, J., Melillo, J.M., 1997. Human Domination of Earth's Ecosystems. *Science* (80-.). 277, 494–499. doi:10.1126/science.277.5325.494
- Volk, T.A., Verwijst, T., Tharakan, P.J., Abrahamson, L.P., White, E.H., 2004. Growing fuel : a

- sustainability assessment of willow biomass crops. *Front Ecol Env.* 2, 411–418.
- Wardle, D.A., 2016. Do experiments exploring plant diversity-ecosystem functioning relationships inform how biodiversity loss impacts natural ecosystems? *J. Veg. Sci.* 27, 646–653. doi:10.1111/jvs.12399
- Wardle, D.A., Huston, M.A., Grime, J.P., Berendse, F., Lauenroth, W.K., Setälä, H., Wilson, S.D., 2000. Biodiversity and Ecosystem Function : an Issue in Ecology. *Bull. Ecol. Soc. Am.* 81, 235–239.
- Weber, D.C., Lundgren, J.G., 2009. Assessing the trophic ecology of the Coccinellidae: Their roles as predators and as prey. *Biol. Control* 51, 199–214. doi:10.1016/j.biocontrol.2009.05.013
- Weigelt, A., Marquard, E., Temperton, V.M., Roscher, C., Scherber, C., Mwangi, P.N., Felten, S., Buchmann, N., Schmid, B., Schulze, E.-D., Weisser, W.W., 2010. The Jena Experiment: six years of data from a grassland biodiversity experiment. *Ecology* 91, 930–931. doi:10.1890/09-0863.1
- Welden, C., Slauson, W., 1986. The intensity of competition versus its importance: an overlooked distinction and some implications. *Q. Rev. Biol.* 61, 23–44.
- White, T.C.R., 1984. The abundance of invertebrate herbivores in relation to the availability of nitrogen in stressed food plants. *Oecologia* 63, 90–105. doi:10.1007/BF00379790
- Wickham, H., 2009. ggplot2: Elegant Graphics for Data Analysis.
- Wickham, H., Francois, R., 2015. dplyr: A Grammar of Data Manipulation. R package version 0.4.3.
- Wickham, J., Rice, B., Finnan, J., Mcconnon, R., 2010. A review of past and current research on short rotation coppice in Ireland and abroad. COFORD, Dublin.
- Willems, P., Deckers, P., De Maeyer, P., De Sutter, R., Vanneuville, W., Brouwers, J., Peeters, B., 2009. MIRA 2009 en NARA 2009: Wetenschappelijk rapport Klimaatverandering en waterhuishouding.
- Wood, C.L., Lafferty, K.D., 2013. Biodiversity and disease: A synthesis of ecological perspectives on Lyme disease transmission. *Trends Ecol. Evol.* 28, 239–247. doi:10.1016/j.tree.2012.10.011
- Wrigley, E.A., 2010. Energy and the English Industrial Revolution. Cambridge University Press, Cambridge, United Kingdom.
- Yachi, S., Loreau, M., 2007. Does complementary resource use enhance ecosystem functioning? A model of light competition in plant communities. *Ecol. Lett.* 10, 54–62. doi:10.1111/j.1461-0248.2006.00994.x
- Younes, G.H., Ahmad, M., Ali, N., 2015. Morphological , Biological and Ecological Studies of the Mycophagous Ladybird *Psyllobora vigintiduopunctata* L . (Coleoptera : Coccinellidae) on Powdery Mildew Fungi in the Coastal Region of Syria. *Jordan J. Agric. Sci.* 11, 483–493.
- Zapater, M., Hossann, C., Bréda, N., Bréchet, C., Bonal, D., Granier, A., 2011. Evidence of hydraulic lift in a young beech and oak mixed forest using 18O soil water labelling. *Trees* -

Struct. Funct. 25, 885–894. doi:10.1007/s00468-011-0563-9

Zhang, Y., Chen, H.Y.H., Reich, P.B., 2012. Forest productivity increases with evenness, species richness and trait variation: A global meta-analysis. *J. Ecol.* 100, 742–749. doi:10.1111/j.1365-2745.2011.01944.x

Zhu, Y., Chen, H., Fan, J., Wang, Y., Li, Y., Chen, J., Fan, J., Yang, S., Hu, L., Leung, H., Mew, T.W., Teng, P.S., Wang, Z., Mundt, C.C., 2000. Genetic diversity and disease control in rice. *Nature* 406, 718–722. doi:10.1038/35021046